



TERIM

Italian Innovation

TERIM is an Italian Home Appliance leading manufacturer, Located in Modena, Northern Italy, has been running its manufacturing business since the 60's.

2017



”


Modena is located in the middle of the Po valley, a strategic position, in one of the most developed areas of the country. Moreover Modena is the cradle of many worldwide recognized brands, starting from the mechanical field ending to the food industry. We are proud to have the Ferrari and Maserati Company located in Modena, the best excellences for the race sportive cars, and on the other hand to be the best producer of Balsamic vinegar. In this scenario **TERIM** would represent the perfect match between the high-performance of its products and this land of food abundance and engineering workmanship.

Content



About TERIM Brand


Products Categories



FREE STANDING COOKER



BUILT IN OVEN



BUILT IN HOBS



WASHING MACHINE



DISHWASHER



CHEST FREEZER



AIR CONDITIONER



CONTACT US



AN ITALIAN STORY FOR INNOVATION AND STYLE

TERIM traces its origins back in the latest 50s when the Company was founded in Modena, Emilia Romagna, Northside of Italy.

TERIM truly Italian tale. A story of quality, of attention and love for elegant details. Of passion and constant research for new functional and aesthetic solutions.

TERIM a historical Italian brand, stood out for decades by its strong push for innovation, for the attainment and maintenance of high quality standards, for the elegance and distinctiveness of its design and Italian flair, which is increasingly appreciated throughout the world

TERIM wide range of elegant free-standing cookers, built-in hobs and ovens creates a universe in which elegance and professionalism have become daily habit; because each cooker, each oven or hob has been designed to be the extremely functional and refined Centre piece of the most beautiful kitchens. Starting 2016 TERIM extend the range to include washing machine, dishwasher and air-conditioner

Skills: TERIM has 50 years of experience in home appliances

Quality: Our products are engineered to achieve the best quality standard

Taste: Our products has a distinctive Italian design

Customer orientation: We want to satisfy our customer through the excellence of our products and the excellence of our services



FREE STANDING COOKER















01

HOME RESTURANT

FREE STANDING COOKER

The deep connection between Terim and its territory, is important to understand to enhance its customer's life and lifestyle with its production. Choosing Terimi is a form of self-expression and self-satisfaction. One of the most important principles embraced by TERIM – is to offer consumers genuine added value in terms of performance, comfort and ease of use by developing new and improved products.

ROYAL CHIANTISHIRE 	EVOLUTION 90 	REGENCY 90 	PROF165GGX 
PROF965GGX 	MEGC965GGXCI 	965GGXCI 	965GGPXI 
FREE STANDING COOKER CONTENT	MGC965GGX 	MGC855GGX 	60x60 

1- FREE STANDING COOKER

ROYAL CHIANTISHIRE

90 CM



MODEL: 90x60
MODEL NAME: ROYAL CHIANTISHIRE



SPECIFICATIONS

4 cm. high single piece stainless steel hob
Removable splashback
Gas burners with flame failure safety device
Underknob one-touch ignition
Heavy duty cast iron pan supports
Single oven electric multifunction
Single oven gas with flame failure safety-device
New fan assisted gas oven
Electric grill (also on gas oven)
Turnspit (only gas oven)
Oven light
Telescopic runners
Tangential cooling fan
Analogue clock
Triple-glazed oven door
Full width storage drawer
Adjustable stainless steel legs

CAVITY FUNCTIONS



Colors



Burgundy

1- FREE STANDING COOKER

EVOLUTION 90

90 CM



MODEL: 90x60
MODEL NAME: EVOLUTION 90



SPECIFICATIONS

4 cm. high single piece stainless steel hob
Removable splashback
Gas burners with flame failure safety device
Underknob one-touch ignition
Heavy duty cast iron pan supports
Single oven electric multifunction
Single oven gas with flame failure safety-device
Electric grill (also on gas oven) (optional)
Turnspit (only gas oven)
Oven light
Tangential cooling fan
Electronic led programmer (only electric oven)
Minute minder (only gas oven)
Stainless Steel handle and knobs
Storage compartment (drop down door)
Adjustable stainless steel legs

CAVITY FUNCTIONS



Colors



Stainless Steel

1- FREE STANDING COOKER

REGENCY 90

90 CM



SPECIFICATIONS

4 cm. high single piece stainless steel hob (optional)
Removable splashback
Gas burners with flame failure safety device
Underknob one-touch ignition
Heavy duty cast iron pan supports
Single oven electric multifunction (optional)
Single oven gas with flame failure safety-device
New fan assisted gas oven
Electric grill (also on gas oven) (optional)
Turnspit (only gas oven)
Oven light
Analogue clock
Brass handle and knobs
Storage compartment (drop down door)
Adjustable stainless steel legs

MODEL: Regency 90x60
MODEL NAME: REGENCY 90



CAVITY FUNCTIONS



Colors



Stainless Steel



Anthracite

1- FREE STANDING COOKER

PROF165GGX

100x60 CM



MODEL: 100x60 PROFESSIONAL
MODEL NAME: PROF165GGX



SPECIFICATIONS

100x60 free standing cooker (100x60x85)
Made in Italy
Stainless steel
4 cm high PROFESSIONAL Top
5 gas burners (with central triple ring)and safety valves
Cast Iron pan supports
Lateral full stainless steel Profiles
Stainless steel splash back
automatic ignition underknob
Digital LED Timer with 3 buttons (optional)
Ergonomic silver knobs
Tempered double glazed oven door
Mirror glass external door
Gas oven with thermostat and safety
Gas grill with safety
119 litres oven capacity
FLAT Internal oven sides
MULTIFUNCTION Fan gas oven (optional)
Rotisserie with Triple Skewer
Closed door grilling
SELF Cleaning lateral panels
Oven light
Adjustable feet
2 oven grid
1 oven tray

5 gas burners with one-hand electric ignition:
- 1 triple ring wok burner with 4 kW
- 2 rapid burners with 2.8 kW
- 1 semi-rapid burner with 1.65 kW
- 1 auxiliary burner with 1 kW
Flame failure device
Cast iron pan supports
Soft touch knobs with chromed rings
stainless steel splashback

CAVITY FUNCTIONS



1- FREE STANDING COOKER

PROF965GGX

90x60 CM



MODEL: 90x60 PROFESSIONAL
MODEL NAME: PROF965GGX



SPECIFICATIONS

90x60 free standing cooker (90x60x85)
Made in Italy
Stainless steel
4 cm high PROFESSIONAL Top
5 gas burners (with central triple ring)and safety valves
Cast Iron pan supports
Lateral full stainless steel Profiles
Stainless steel splash back
automatic ignition underknob
Digital LED Timer with 3 buttons (optional)
Ergonomic silver knobs
Tempered double glazed oven door
Mirror glass external door
Gas oven with thermostat and safety
Gas grill with safety
119 litres oven capacity
FLAT Internal oven sides
MULTIFUNCTION Fan gas oven (optional)
Rotisserie with Triple Skewer
Closed door grilling
SELF Cleaning lateral panels
Oven light
Adjustable feet
2 oven grid
1 oven tray

5 gas burners with one-hand electric ignition:
- 1 triple ring wok burner with 4 kW
- 2 rapid burners with 2.8 kW
- 1 semi-rapid burner with 1.65 kW
- 1 auxiliary burner with 1 kW
Flame failure device
Cast iron pan supports
Soft touch knobs with chromed rings
stainless steel splashback

CAVITY FUNCTIONS



1- FREE STANDING COOKER

MEGC965GGXCI

90x60 CM



MODEL: 90x60 MEDIUM
MODEL NAME: MEGC965GGXCI




SPECIFICATIONS

90x60 free standing cooker (90x60x85)
Stainless steel
5 gas burners (with central triple ring)and safety valves
Cast Iron pan supports
Glass cover
automatic ignition underknob
Mechanical timer
Ergonomic silver knobs
Tempered double glazed oven door
Mirror glass external door
Gas oven with thermostat and safety
Gas grill with safety
119 litres oven capacity
Embossed Internal oven sides
Closed door grilling
Rotisserie with Triple Skewer
Oven light
Adjustable feet
1 oven grid
1 oven tray
5 gas burners with push-button ignition:
- 1 triple ring wok burner with 4 kW
- 2 rapid burners with 2.8 kW
- 1 semi-rapid burner with 1.65 kW
- 1 auxiliary burner with 1 kW

CAVITY FUNCTIONS



Colors



1- FREE STANDING COOKER

965GGXCI

90x60 CM E.Cook



MODEL: 90cm free stand cooker
MODEL NAME: 965GGXCI




SPECIFICATIONS

90X60cm Full gas cooker
5 burner 1 triple flame
Soft design top
Glass top
Stylish design enameled pan support
Gas grill /gas oven
Separate grill knob control
Automatic ignition
Grilling with close door
Rear protecting sold shield
Advanced ventilation system
Oven try
Oven lamp
Rotasery

CAVITY FUNCTIONS



Colors



FREE STANDING COOKER

965GGPXI

90x60 CM H.Cook



MODEL: Free Standing Cooker
MODEL NAME: 965GGPXI




SPECIFICATIONS

90X60cm Full gas cooker
5 burner 1 triple flame
Splash back
Stylish design Cast iron pan support
Gas grill /gas oven
Separate grill knob control
Automatic ignition under knob
Grilling with close door
Rear protecting sold shield
Advanced ventilation system
Oven try
Oven lamp
Rotasery

CAVITY FUNCTIONS



Colors



1- FREE STANDING COOKER

MGC965GGX

90x60 CM



MODEL: 90x60 ENTRY
MODEL NAME: MGC965GGX




SPECIFICATIONS

90x60 free standing cooker (90x60x85)
Stainless steel
5 gas burners (with central triple ring)
Enamelled pan supports
Glass cover
automatic push bottom ignition
Mechanical timer
Ergonomic black knobs
Tempered double glazed oven door
Black glass external door
Gas oven with thermostat and safety
Gas grill with safety
119 litres oven capacity
Embossed Internal oven sides
Closed door grilling
Rotisserie with Triple Skewer
Oven light
Adjustable feet
1 oven grid
1 oven tray
5 gas burners with push-button ignition:
- 1 triple ring wok burner with 4 kW
- 2 rapid burners with 2.8 kW
- 1 semi-rapid burner with 1.65 kW
- 1 auxiliary burner with 1 kW

CAVITY FUNCTIONS



Colors



1- FREE STANDING COOKER

MGC855GGX

80x50 CM



SPECIFICATIONS

80x50 free standing cooker (80x50x85)
Made in Italy
Terim brand
Stainless steel
5 gas burners (with central triple ring)
Enamelled pan supports
Glass cover
automatic push bottom ignition
Mechanical timer
Ergonomic black knobs
Tempered double glazed oven door
Black glass external door
Gas oven with thermostat and safety
Gas grill with safety
88 litres
Embossed Internal oven sides
Closed door grilling
Rotisserie with Triple Skewer
Oven light
Adjustable feet
1 oven grid
1 oven tray


MODEL: 80x50 BASIC
MODEL NAME: MGC855GGX



CAVITY FUNCTIONS



Colors



1- FREE STANDING COOKER

60x60

60x60 CM




MODEL:	60x60
MODEL NAME:	60x60



SPECIFICATIONS

60x60cm Full Gas Cooker
FULL SAFETY
4 Gas Multigas (Euro Type Pool) Burners with SAFETY
Enamel Pan Support and 2mm Enamel Bruner Caps
Bottom & Grill Burner with SAFETY - via Double
Knob Control
Heat Resistive Ergonomic Knobs
Push Button Ignition for Hob & Oven Burners
Oven Lamp
Turnspit (Rotisserie)
Mechanical Timer
Special Door (Cool Oven Door with Removable Inner Glass)
Double Layer Isolation
Glass Top Lid
1 Oven Enamel Baking Tray
1 Oven Chrome Oven Grid
Adjustable feet
Styrofoam + Nylon Shrink Wrapping Packing
full inox body
Wall Fixing Chain + Extra Weight Stone for Balancing
British Type Plug
FOB

CAVITY FUNCTIONS



Colors



BUILT IN OVEN





02

THE TREND COLLECTION BUILT IN OVEN

This range of built-in products represents once more the extreme care of details and passion that Terim dedicate to its collections. And this obsessive attention to the creation system makes Terim products so unique.

The Trend Collection has been designed to be attractive as well as functional. Elegant flat shape, well-balanced volumes, essential lines. Harmony of material and colors. Minimalist or classic, retro or romantic each - models has it own distinctive features.

BUILT IN OVEN CONTENT	TRMBO90XLGG 	TRMBO90XLGE 	TRMBO90LE9 
	TRMBO90LE7 	TRMBO60E5 	TRMBO60E4 
	TRMBO60GG 		

2- BUILT IN OVEN

TRMBO90XLGG

Terim 90 cm GAS GRILL + GAS LOWER element



MODEL: Terim 90 cm
MODEL NAME: TRMBO90XLGG



SPECIFICATIONS

With cooling Fan
With rotisserie
Smooth sides with side racks
With minute minder 0-60'
Knobs H silver
Handle 116 inox
Rated 220-240V – 50/60Hz
Equipped with components in accordance with SASO requirements

CAVITY FUNCTIONS




Colors



Stainless Steel



Anthracite




2- BUILT IN OVEN

TRMBO90XLGE

Terim 90cm GAS GRILL + ELECTRIC LOWER element



MODEL: Terim 90 cm
MODEL NAME: TRMBO90XLGE




SPECIFICATIONS

With cooling Fan
With rotisserie
Smooth sides with side racks
With minute minder 0-60'
Knobs H silver
Handle 116 inox
Rated 220-240V – 50/60Hz
Equipped with components in accordance with SASO requirements

CAVITY FUNCTIONS




Colors



Stainless Steel



Anthracite



2- BUILT IN OVEN

TRMBO90LE9

Terim 90cm Electric oven



MODEL: Terim 90 cm
MODEL NAME: TRMBO90LE9



SPECIFICATIONS

Multifunction with 9 functions
Electronic timer 6 buttons
With cooling Fan
With rotisserie
Smooth sides with side racks
Knobs H silver
Handle 116 inox
Rated 220-240V – 50/60Hz
Equipped with components in accordance with SASO requirements

CAVITY FUNCTIONS




Colors



Stainless Steel



Anthracite



2- BUILT IN OVEN

TRMBO90LE7

Terim 90cm Electric oven



MODEL: 90 cm ELECTRIC OVEN
MODEL NAME: TRMBO90LE7



SPECIFICATIONS

Multifunction with 7 functions
Electronic timer
With cooling Fan
With rotisserie
Smooth sides with side racks
Knobs H silver
Handle 116 inox
Rated 220-240V – 50/60Hz

CAVITY FUNCTIONS




Colors



Stainless Steel



Anthracite



2- BUILT IN OVEN

TRMBO60E5

Terim 60 cm ELECTRIC OVEN



MODEL: Terim 60 cm ELECTRIC OVEN
MODEL NAME: TRMBO60E5



SPECIFICATIONS

Multifunction with 7 functions
Electronic timer
With cooling Fan
With rotisserie
Smooth sides with side racks
Knobs H silver
Handle 116 inox
Rated 220-240V – 50/60Hz

CAVITY FUNCTIONS




Colors



Stainless Steel



Anthracite




2- BUILT IN OVEN

TRMBO60E4

Terim 60 cm ELECTRIC OVEN



MODEL: Terim 60 cm ELECTRIC OVEN
MODEL NAME: TTRMBO60E4




SPECIFICATIONS

Static with 4 functions
Minute Minder 0-60'
With cooling Fan
Moulded sides
Knobs H silver
Handle 116 inox
Rated 220-240V – 50/60Hz

CAVITY FUNCTIONS




Colors



Stainless Steel



Anthracite




2- BUILT IN OVEN

TRMBO60GG

TERIM 60 cm GAS OVEN WITH GAS LOWER ELEMENT



MODEL: TERIM 60 cm GAS OVEN
MODEL NAME: TRMBO60GG



SPECIFICATIONS

Minute minder
With cooling Fan
Moulded sides
Knobs H silver
Handle 116 inox (Slam)
Rated 220-240V – 50/60Hz

CAVITY FUNCTIONS




Colors



Stainless Steel



Anthracite



BUILT IN HOBS






03

SMART AND FUNCTIONAL BUILT IN HOBS

Smart and functional

Cooking spaces at home, always set conceptually in the heart of the kitchen, have been redesigned in search of new perspectives and excellent performances. In this frame are located Terim cooktops. The design of Terim cooktops, rigorous and carefully studied, begins with the excellence of the materials. We have a complete range of cooktops: gas, vitroceramic and induction.




3- BUILT IN HOBS

TRBH905VTPG

TRBH90VPAG


MODEL: BUILT IN HOBS
MODEL NAME: TRBH905VTPG



CAVITY FUNCTIONS



COLORS




Stainless Steel

SPECIFICATIONS

Security valve
Frontal control Cast iron pan supports
Automatic ignition
Steel plate
1 Auxiliary 1,00 kW
2 Semi-rapid 1,75 kW
1 Rapid 3,00 kW
1 Triple-crown 3,80 Kw

MODEL: BUILT IN HOBS
MODEL NAME: TRBH90VPAG



CAVITY FUNCTIONS



COLORS



Stainless Steel

SPECIFICATIONS

Security valve
Frontal control enameled pan supports
Automatic ignition
Steel plate
1 Auxiliary 1,00 kW
2 Semi-rapid 1,75 kW
1 Rapid 3,00 kW 1 Triple-crown 3,80 Kw

3- BUILT IN HOBS

TRBH9042NGVGE

TRBH6031GE



MODEL: BUILT IN HOBS
MODEL NAME: TRBH9042NGVGE



CAVITY FUNCTIONS



COLORS





Stainless Steel

SPECIFICATIONS

Security valve
Side control
Nikel knobs
Led indicator light
Cast iron pan supports
Automatic ignition
Steel plate
1 Auxiliary 1,00 kW
2 Semi-rapid 1,75 kW
1 Rapid burner 3,00 kW
1 Red spot plate 180mm 2.00Kw
1 Red spot plate 145mm 1.50Kw

MODEL: BUILT IN HOBS
MODEL NAME: TRBH6031GE



CAVITY FUNCTIONS



COLORS



Stainless Steel

SPECIFICATIONS

Security valve
Frontal control Cast iron pan supports
Automatic ignition Steel plate
1 Auxiliary 1,00 kW
1 Semi-rapid 1,75 kW
1 Triple-crown 3,80 kW
1 Electric plate 145 1000 W / 1500 W

3- BUILT IN HOBS

TRBH604NAG

TRBH604VTG

MODEL: BUILT IN HOBS
MODEL NAME: TRBH604NAG



CAVITY FUNCTIONS



COLORS




Stainless Steel

SPECIFICATIONS

Side control
Enameled pan supports
Automatic ignition Steel plate
1 Auxiliary 1,00 kW
2 Semi-rapid 1,65 / 1,75 kW
1 Rapid 3,00 kW

MODEL: BUILT IN HOBS
MODEL NAME: TRBH604VTG



CAVITY FUNCTIONS



COLORS



Stainless Steel

SPECIFICATIONS

Security valve
Frontal control
Nikel knobs
Cast iron pan supports
Automatic ignition
Steel plate
1 Auxiliary 1,00 kW
2 Semi-rapid 1,75 kW
1 Triple-crown 3,50 kW

3- BUILT IN HOBS

TRBH58THHC

TRBH58VHHC



MODEL: BUILT IN HOBS
MODEL NAME: TRBH58THHC



CAVITY FUNCTIONS



COLORS



Anthracite

SPECIFICATIONS

Front touch control regulation
Vetroceramic glass
9 stages digital power level display
Child control lock
Residual heat leads
Timer: 0-99 min.
Electric supply AC 230 V
2 hi-light zone Ø145 1200 W
2 hi-light zone Ø180 1800 W

MODEL: BUILT IN HOBS
MODEL NAME: TRBH58VHHC



CAVITY FUNCTIONS



COLORS



Anthracite

SPECIFICATIONS


Side control
Vetroceramic glass
Nikel knobs
Residual heat leads
Electric supply AC 230 V
2 hi-light zone Ø145 1200 W 2 hi-light zone Ø180 1800 W
580x510

3- BUILT IN HOBS

TRBH29CHHC

TRBH90CWHDC

MODEL: BUILT IN HOBS
MODEL NAME: TRBH29CHHC



CAVITY FUNCTIONS



COLORS



Anthracite

SPECIFICATIONS

Front touch control regulation
Vetroceramic glass 9 stages digital power level display
Child control lock
Residual heat leads
Timer: 0-99 min.
Electric supply AC 230 V
1 - Hi-light zone Ø 145 1,2 kW
2 - Hi-light zone Ø 180 1,8 kW

MODEL: BUILT IN HOBS
MODEL NAME: TRBH90CWHDC



CAVITY FUNCTIONS



COLORS



Anthracite

SPECIFICATIONS


Front touch control regulation
9 stages digital power level display
Child control lock
Residual heat leads
Timer: 0-99 min.
Electric supply AC 230 V
2 hi-light zone Ø145 1200 W
1 hi-light zone Ø180 1800 W
1 hi-light double zone Ø210-120 2200 W/750 W
1 hi-light oval zone Ø265-170 2200 W/1400 W

3- BUILT IN HOBS

TRBH6004RVE

TRBH0290200E

MODEL: BUILT IN HOBS
MODEL NAME: TRBH6004RVE



CAVITY FUNCTIONS



COLORS



Stainless Steel

SPECIFICATIONS

Side control
Steel plate
2 Electric plate 145 1000 W / 1500 W
2 Electric plate 180 1500 W / 2000 W


MODEL: BUILT IN HOBS
MODEL NAME: TRBH0290200E



CAVITY FUNCTIONS



COLORS



Stainless Steel

SPECIFICATIONS

Side control
Steel plate
2 Electric plate 145 1000 W / 1500 W
2 Electric plate 180 1500 W / 2000 W



WASHING MACHINE





04

WASHING MACHINE

Terim Italian washing machine and washing /dryers deliver energy and water savings while getting your clothes exceptionally clean. Quality ,reliability and innovation are the Terim mile stone to the best washing solution

WASHING MACHINE CONTENT

TR100WDM17



TR701WM17



4- WASHING MACHINE

TECHNICAL SOLUTIONS

TERIM products are designed to meet the consumers' present and future needs.

Our products are the best synthesis of aesthetics, technology and functionality.

TESTED RELIABLE SOLUTIONS LASTING OVER TIME

Combined with great ease of use and unique technology.



PROFESSIONAL DRUM

The exclusive and innovative shape of the drum, with a four-arm bearing structure, ensures a stable and balanced rotation and improves washing quality and spin performance. Moreover, this structure allows the use of 4 drum paddle lifters which ensures stronger and, at the same time, more delicate washing, respecting fabrics and assuring the best washing results. The particular holes of the drum facilitate water inflow and outflow allowing perfect spraying and protection of laundry and ensuring better washing quality.



ANTI-CORROSION CABINET, TESTED FOR OVER 10,000 OPERATING HOURS

The whole cabinet is subjected to a cathaphoresis bath that makes steel highly resistant to corrosion; the treatment deposits on the surface of the cabinet a layer of epoxy resin that ensures high protection against chemical agents and provides better adhesion of the liquid paint finishing. The special panel framework of the cabinet makes the washing machine more stable even with higher spin speed, with considerable reduction of noise and vibrations for a lifetime of over 10.000 operating hours.



PORTHOLE OPENING AT 180

The door can be opened with a retractable handle. The asymmetrical shape of the porthole is designed to gently push the laundry towards the centre at each rotation of the drum.

The porthole opening at °180 ensures maximum ergonomics and facilitates drum loading and unloading.



SOLUTIONS AT HAND



LCD TOUCH DISPLAY

The LCD Touch Display with unencoded texts and icons shows the selected program and the washing option. Just turn the central knob to select the desired program and lightly press on the start button to start the washing cycle. Simple and intuitive.

LCD TOUCH DISPLAY




A magnetic device prevents the formation of limescale deposits, preserving the operation of coils, prolonging its life and avoiding the use of liquid or powders anti-limescale.

ACQUASTOP




Besides the overflow system there is a water supply hose with integrated anti-flooding system. In case of leakage or dripping of the supply hose of the washing machine, a mechanical valve automatically stops the water flow, preventing possible floodings.

ANTI-FOAM CONTROL



A sensor inside the drum detects the level of foam and reduces it if too high. The Easy Logic system is automatically activated by increasing rinsing cycles, ensuring total removal of detergent residues.

LED DISPLAY



The control panel with Led indicators has an essential and elegant design. Simple and intuitive, it clearly shows the selected washing programs.



Easy Logic

01KG 10KG

MAXIMUM EFFICIENCY FOR EVERY WASH

The Easy Logic system, available in all our washing machines, detects the weight of the laundry and accordingly intervenes on the values of the selected washing program. This allows to wash with variable weights avoiding any waste of water and energy, with constant maximum wash efficiency and minimum consumption.

PROTECTION FOR THE WHOLE FAMILY

TERIM cares about your health and that of your family; therefore, it has developed a series of antibacterial solutions, to give you cleaner, fresher and longer-lasting laundry. Through the use of Microban® technology we ensure constant antibacterial protection. We have also developed a special washing cycle that eliminates 99% of bacteria (e.g. Escherichia coli, Staphylococcus Aureo, Candida Albicans, Aspergillus Niger) that may contaminate laundry, without using any antibacterial detergents.



DETERGENT DRAWER AND PORTHOLE GASKET

The detergent drawer and the porthole gasket are made with Microban® antibacterial material, which prevents the formation and proliferation of bacteria, fungi and mould that may cause stains and foul odours. It also ensures stronger protection against harmful microbes, helping us keeping the surfaces of the drawer and the porthole gasket cleaner over time.



CHILD SAFETY

All the washing machines in the LCD Touch Display have the Child Lock function, which is activated by entering a code after the start of the washing cycle. Once the protection is activated, all the controls of the control panel are inhibited, preventing accidental changing of running programs and unintentional starting of the machine after the end of the wash program.

4- WASHING FRONT LOADING
WASHER DRYER FREE STANDING

TR100WDM17

WASHER DRYER 60cm

FREE STANDING
FOR ALL NEEDS



MODEL: WASHER DRYER 60cm
MODEL NAME: TR100WDM17



LCD DISPLAY



ANTI FOAM SYSTEM

SPECIFICATIONS

1400rpm Maximum Spin Speed
Janus Electronic System
Easy Logic System
Ecoball Avoids the Waste of Detergent
Self Cleaning Pump
Soap Dispenser Compatible with Liquids
Load Balancing System
Easy Loading with 30°/180cm Opening
Anti Corrosion Coating
Auto clean Function
Overflow System / Antifoam System / Child Safety
Blackout Protection / Over Voltage Protection / Over Temperature Safety Device
Ecocarbon Tub / Stainless Steel Drum
Net Dimensions (WxHxD)
59,5x85,0x60,0


CAVITY FUNCTIONS

1-10kg washing

1-6kg drying

60cm

1400rpm



4- WASHING FRONT LOADING WASHER
MACHINE FREE STANDING

TR710WM17

WASHER MACHINE 60cm

FREE STANDING



MODEL: WASHER MACHINE 60cm
MODEL NAME: TR100WDM17



LED DISPLAY



ANTI FOAM SYSTEM

SPECIFICATIONS

1000rpm Maximum Spin Speed
Janus Electronic System
Easy Logic System
Ecoball Avoids the Waste of Detergent
Self Cleaning Pump
Soap Dispenser Compatible with Liquids
Load Balancing System
Easy Loading with 30°/180cm Opening
Anti Corrosion Coating
Auto clean Function
Overflow System / Antifoam System / Child Safety
Blackout Protection / Over Voltage Protection / Over Temperature Safety Device
Ecocarbon Tub / Stainless Steel Drum
Net Dimensions (WxHxD)
59,5x85,0x60,0

CAVITY FUNCTIONS

1-7kg washing

60cm

1000rpm



DISHWASHER





05

DISHWASHER

Terim Italian dish washers designed with several washing temperatures ,programs for any kind of wash and dishes, designed for large or small familiesbut above all, machines of high performance, low power and water consumption.

DISHWASHER CONTENT

TR130DWS17



TR140DW17




5- DISHWASHER

TR130DWS17

60 Free Standing




MODEL: 60 Free Standing
MODEL NAME: TR130DWS17



SPECIFICATIONS

13 Place setting
10 program
5 temperatures (38° 45° 50° 65° 70°)
Stainless steel ant printing top
Stainless steel ant printing door color
Total Aquastop
Concealed heating element
Noise level 49dB
Delay timer display 3 digit 24h
Energy efficiency class: A+, Cleaning perfor



5- DISHWASHER

TR140DW17

60 Free Standing




MODEL: Free Standing
MODEL NAME: TR130DWS17



SPECIFICATIONS

14 place setting
7 washing program
Delay timer -1/2load-All in 1
Rinse Aid Indicator
Micro whole filter
Height adjustable top basket
Tip up plate racks in lower basket
Knife and long cutlery rack
Ergonomic basket handles
Multiple sound insulation pack
Acquasafe system -pex hose
Noise level 48dB
Energy efficiency class: A+



CHEST FREEZER





06

KEEP FRESH

CHEST FREEZER

Terim chest freezers let you enjoy fresh fruits and vegetables out of season ,And reduce the frequency of your food shopping.

Available of choice of capacity from 146 liters up to 519 liters to accommodate all your frozen food needs, the freezer inner light distributes lights on food items for clear visibility, and the heavy duty wheels Is adapted for easy move freezer location and secured in place with brakes.

TRM146HFR



TRM203HFR



TRM319HFR



CHEST FREEZER
CONTENT

TRM429HFR



TRM519HFR



6- CHEST FREEZER

TRM146HFR



MODEL: Chest freezer
MODEL NAME: TRM146HFR



SPECIFICATIONS

stylish embedded Handle with look
Mechanical Temperature controller
White painted inner line
Inner condenser
One food basket
inner light
C-p foaming component
Power on light
Supper freezer lamp
Defrosting shovel
Refrigerant R600a
220v/50hz(60HZ option)
Unit dimension (WxDxH) (mm) 720*560*845

6- CHEST FREEZER

TRM203HFR



MODEL: Chest freezer
MODEL NAME: TRM203HFR



SPECIFICATIONS

stylish embedded Handle with look
Mechanical Temperature controller
White painted inner line
Inner condenser
One food basket
inner light
C-p foaming component
Power on light
Supper freezer lamp
Defrosting shovel
Refrigerant R600a
220v/50hz(60HZ option)
Unit dimension WxDxH (mm) 940*560*845

6- CHEST FREEZER

TRM319HFR



MODEL: Chest freezer
MODEL NAME: TRM319HFR



SPECIFICATIONS

stylish embedded Handle with look
Mechanical Temperature controller
White painted inner line
Inner condenser
One food basket (2 basket for 429&519)
inner light
C-p foaming component
Power on light
Supper freezer lamp
Defrosting shovel
Refrigerant R600a
With wheel
Unit dimension (WxDxH) (mm) 1055*745*855




6- CHEST FREEZER

TRM429HFR



MODEL: Chest freezer
MODEL NAME: TRM429HFR



SPECIFICATIONS

stylish embedded Handle with look
Mechanical Temperature controller
White painted inner line
Inner condenser
One food basket (2 basket for 429&519)
inner light
C-p foaming component
Power on light
Supper freezer lamp
Defrosting shovel
Refrigerant R600a
With wheel
Unit dimension (WxDxH) (mm) 1410*745*855

6- CHEST FREEZER

TRM519HFR



MODEL: Chest freezer
MODEL NAME: TRM519HFR



SPECIFICATIONS

stylish embedded Handle with look
Mechanical Temperature controller
White painted inner line
Inner condenser
One food basket (2 basket for 429&519)
inner light
C-p foaming component
Power on light
Supper freezer lamp
Defrosting shovel
Refrigerant R600a
With wheel
Unit dimension (WxDxH) (mm) 1650x745x855

AIR CONDITIONER





07

AIR CONDITIONER

Fresh master healthy air for good life

Air conditioning does much more than heat ad cool the place you live or work in Terim air conditioner providing you the comfort of Fresh air, healthy environment, supper quite operation, and green enviroment for your children.

AIR CONDITIONER CONTENT

TRG12C717



TRG12HCHB717



TRG18C717



TRG18HCHB717



TRG24C717



TRG24HCHB717




TRG30C717



TRG30HCHB717



TRG36C717




TRG36HCHB717




AUTOMATIC CLEAN AND DRY

TERIM air conditioner adopts a new generation of hydrophilic aluminum foil, under cooling or dehumidifying mode, dust in evaporator will be removed by the fast-moving condensate water. The blade keeps operating for air drying after power off, thus achieves automatic clean and dry.

This function is available through controlling the «X-Fan» button in remote controller, caring for your health considerably.




ENVIROMENT FRIENDLY



HIDDEN DISPLAY

Hidden temperature display on a classy high gloss surface.



4- WAY AIR OUTLET

The louver can be vertically adjusted so as to maximize comfort in the room.



7- AIR CONDITIONER



MODEL & AVAILABLE CAPACITY

TRG12C717

Capacity 11500BTU Cooling only

TRG12HCHB717

Capacity 11500BTU Hot&Cool

TRG18C717

Capacity 18000BTU Cooling only

TRG18HCHB717

Capacity 18000BTU Hot&Cool

TRG24C717

Capacity 22000BTU Cooling only

TRG24HCHB717

Capacity 22000BTU Hot&Cool

TRG30C717

Capacity 27300BTU Cooling only

TRG30HCHB717

Capacity 27300BTU Hot&Cool

TRG36C717

Capacity 32000BTU Cooling only

TRG36HCHB717

Capacity 32000BTU Hot&Cool

G-SERIES SPECIFICATIONS

- Automatic clean & Dry
- Hidden display
- Healthy pure air with three filters
- Silver Ion Filter + Catechin filter + vitamin C filter
- Environment friendly with R410 refrigerant
- 4 Air ways outlet
- Super quite operation
- Turbo cool
- High EER for energy efficiency



TECHNICAL SPECIFICATIONS
SPLIT-TYPE

Model		Unit	TRG12C717		TRG12HCHB717	TRG18C717	TRG18HCHB717
Power Supply	Rated Voltage	V~	230		230	230	230
	Rated Frequency	Hz	50Hz, 60Hz available		50Hz, 60Hz available	50Hz, 60Hz available	50Hz, 60Hz available
	Phases	--	1		1	1	1
Cooling Capacity		Btu/h	T1: 12000/T3: 10200		T1: 12000/T3: 10000	18000	18000
Heating Capacity		Btu/h	/		11500	/	18766
Rated Input		W	/		1400	2300	2300
Rated Current		A	6.65		6.5	11	11
Air Flow Volume		CFM	383/318/271/194		383/318/271/194	500/459/383/324	500/459/383/324
Indoor Unit	Sound Pressure Level	dB (A)	42/38/34/30		42/38/34/30	48/44/40/36	48/44/40/36
	Dimension (W×H×D)	mm	845×289×209		845×289×209	970×300×224	970×300×224
	Net Weight	kg	10.5		11	14	14
Outdoor Unit	Dimension (W×H×D)	mm	848×596×320		848×596×320	955×700×396	955×700×396
	Net Weight	kg	32		34	47.5	48
	Refrigerant	--	R410A		R410A	R410A	R410A
Connection Pipe	Outer Diameter of Liquid Pipe(British System Allocation)	inch	“1/4		“1/4	“1/4	“1/4
	Outer Diameter of Gas Pipe(British System Allocation)	inch	“1/2		“1/2	“5/8	“5/8


TECHNICAL SPECIFICATIONS

SPLIT-TYPE

Model		Unit	TRG24C717	TRG24HCHB717		TRG30C717	TRG30HCHB717	TRG36C717	TRG36HCHB717
Power Supply	Rated Voltage	V~	230	230		230	230	230	230
	Rated Frequency	Hz	50Hz, 60Hz available	50Hz, 60Hz available		50Hz, 60Hz available	50Hz, 60Hz available	50Hz, 60Hz available	50Hz, 60Hz available
	Phases	--	1	1		1	1	1	1
Cooling Capacity		Btu/h	22000 (T1) , 18700 (T3)	21500		27300 <T1>, 23000 <T3>	27300 <T1>, 23000 <T3>	32000 <T1>, 27600 <T3>	32000<T1>,27600<T3>
Heating Capacity		Btu/h	/	22178		0	27978	0	32755
Rated Input		W	2560	2500		3200	3200	3700	3700
Rated Current		A	14	13		17	17	17.7	17.7
Air Flow Volume		CFM	706/647/565/483	765/677/565/483/0		736/647/559/471/0	736/647/559/471/0	942/765/677/530/0	942/765/677/530/0
Indoor Unit	Sound Pressure Level	dB (A)	50/45/41/37	50/46/42/36		52/48/44/40/	52/48/44/40/	57/50/45/40/	57/50/45/40/
	Dimension (W×H×D)	mm	1078×325×246	1078×325×246		1078×325×246	1078×325×246	1350×326×258	1350×326×258
	Net Weight	kg	16.5	16.5		16	16	19	19
Outdoor Unit	Dimension (W×H×D)	mm	955×700×396	955×700×396		1000×790×427	1000×790×427	1000×790×427	1000×790×427
	Net Weight	kg	50.5	51.5		72	73	72	73.5
	Refrigerant	--	R410A	R410A		R410A	R410A	R410A	R410A
Connection Pipe	Outer Diameter of Liquid Pipe(British System Allocation)	inch	“1/4	“1/4		“1/4	“1/4	“1/4	“1/4
	Outer Diameter of Gas Pipe(British System Allocation)	inch	“5/8	“5/8		“5/8	“5/8	“3/4	“3/4



TERIM
Italian Innovation



www.terim-world.com

TERIM ITALY S.R.L
PIAZZA FABBRICA RUBBIANI, 51 SASSUOLO (MO) 41049
TERIM MIDDLE EAST
UNITED ARAB EMIRATES, DUBAI, JEBEL ALI
DOWNTOWN, GALLERIES, BUILDING NO.4